

Autometer BLACK FRIDAY SPECIAL!!

PRICE ONLY VALID UNTIL November 26, 2010 11:59PM PST

CALL ON 949-457-1234

EMAIL US AT SALES@GRUPPE-S.COM

Part Number	qty	MSRP	Sale price	Description
2155	2	\$ 96.09	\$ 67.26	For 5" Pedestal Mount Tachometer w/ 3 3/8" Case Fuel Pressure Product # 2174 Size: 1 1/2" (38.1mm) Type: Mechanical Range: 0- 100 PSI
2174	3	\$ 33.76	\$ 23.63	100 PSI Electric Oil Press. Sensor Product # 2242 For use with Short Sweep Electric Oil Pressure Gauges. 1/8" NPT Male Thread. Includes 1/4" NPT Adapter fitting.
2242	1	\$ 31.94	\$ 22.36	Narrowband Oxygen Sensor Kit Product # 2244 For Narrowband Air/Fuel Ratio gauges (includes sensor, weather pack harness, and weld fitting). Not compatible with Wideband Air/Fuel Gauges.
2244	1	\$ 125.00	\$ 87.50	Short Sweep Electric Temperature Sender Product # 2259 1/8" NPT Replacement for Short Sweep Electric Cylinder Head Temperature gauges, and for gauges using sender #2258 in shallow depth areas. This sender only works with 1995 and later gauges. This sending unit can also be used for short sweep electric water, oil, and trans temperature gauges where sending unit clearance is an issue.
2259	1	\$ 9.91	\$ 6.94	Oil Pressure 1/8" NPT to M10x1 Product # 2265 1/8" NPT Female to M10x1 Male
2265	2	\$ 9.70	\$ 6.79	Oil Pressure 1/8" NPT to M12x1 Product # 2266 1/8" NPT Female to M12x1 Male
2266	1	\$ 9.70	\$ 6.79	

2268	1	\$	9.70	\$
2301	1	\$	84.69	\$
2312	3	\$	42.07	\$
2319	2	\$	150.00	\$
2343	1	\$	23.49	\$

Oil Pressure 1/8" NPT to M16x1.5
Product #
2268
1/8" NPT Female to M16x1.5 Male
6.79

Tachometer
Product #
2301
Size:
3 3/4" (95.3mm)
Type:
Pedestal Mount Tachs
Range:
8000 RPM
Notes:
Operates on 4, 6, or 8 cylinder engines with points,
electronic, and most 12V high performance racing
ignitions.
59.28 □

Oil Pressure
Product #
2312
Size:
2 5/8" (66.7mm)
Type:
Mechanical
Range:
0-100 PSI
Notes:
Includes 10 ft. nylon tubing with 1/8" NPT fittings.
Includes 1/4" NPT adapter/fitting.
29.45 □

Voltmeter
Product #
2319
Size:
2 5/8" (66.7mm)
Type:
Short Sweep Electric
Range:
10-16 Volts
105.00

Tire Pressure
Mechanical
Product #
2343
Size:
1 1/2" (38.1mm)
Type:
Mechanical
Range:
60 PSI
16.44

3207	1	\$	4.59	\$
3208	3	\$	4.59	\$
3220	1	\$	4.57	\$
3229	3	\$	56.40	\$
3235	5	\$	53.60	\$

Light Bulb Covers, 3 Pack - Blue

Product #

3207

For optional lighting color on most gauges. Does not work with Digital & LED Lit gauges (i.e. Cobalt, C2, NV, Phantom II, Sport-Comp II, Ultra-Lite II).

Includes 3 covers.

3.21

Light Bulb Covers, 3 Pack - Yellow

Product #

3208

For optional lighting color on most gauges. Does not work with Digital & LED Lit gauges (i.e. Cobalt, C2, NV, Phantom II, Sport-Comp II, Ultra-Lite II).

Includes 3 covers.

3.21

Bulb & Socket No. 161/2.7 Watt & No. 194/3.8 Watt & No. 168/4.9 Watt

Product #

3220

Twist-lock style socket, for use with 2 1/16" Auto Meter gauges with plastic cases.

Not for use with gauges with BLUE plastic cases.

3.20

#4 (-4AN) 4ft., 3/16" ID Fittings

Product #

3229

Includes 4ft. of #4 braided stainless steel line, firewall pass through grommet, 1/8" NPT female right angle to -4AN male fitting, -4AN male to 1/8" NPT male fitting, -4AN male to 1/8" NPT female fitting, 1/8" NPT to 1/4" NPT adapter bushing.

Recommended for use with fuel pressure gauges. For use with mechanical pressure gauges and for remote mounting of electric gauge pressure senders.

39.48

#3 (-3AN) 4ft., 3/16" ID Fittings

Product #

3235

Includes 4ft. of #3 braided stainless steel line, firewall pass through grommet, 1/8" NPT female right angle to -3AN male fitting, -3AN male to 1/8" NPT male fitting, -3AN male to 1/8" NPT female fitting, 1/8" NPT to 1/4" NPT adapter bushing.

Recommended for use with fuel pressure gauges. For use with mechanical pressure gauges and for remote mounting of electric gauge pressure senders.

37.52

3238	1	\$	47.34	\$
3241	1	\$	21.43	\$
3247	3	\$	23.79	\$
3273	1	\$	14.56	\$
3284	6	\$	8.09	\$
3285	4	\$	11.57	\$

- Mini Pro-Lite Warning Lite (Silver)
Product #
3238
Bright red incadescent bulb and night cover.
- Combine with temperature and pressure switches to warn driver of critical conditions.
- 33.14
- Pressure Switch 15 PSI
Product #
3241
Closes at pressures 15psi and lower, opens at 18psi and higher.
- 15.00
- Temperature Switch 220 deg. F
Product #
3247
Closes at temperatures 220 deg. F and higher. Opens at temps below 220 deg. F.
- 16.65
- 45 Deg. Elbow Fitting
Product #
3273
-4AN elbow fitting, 45 deg. with swivel nut.
- Also for use with the new -4AN Fuel Pressure, Brake Pressure and Nitrous Pressure gauges.
- 10.19
- LED Replacement Bulb - Red
Product #
3284
For all Auto Meter gauges (except clocks, Air/Fuel, & Autogage), speedometers, and most in-dash tachometers. Does not work with Digital & LED Lit gauges (i.e. Cobalt, C2, NV, Phantom II, Sport-Comp II, Ultra-Lite II).
- Upgrade your standard instrument lighting with intense LEDs. Replaces 161, 193, 194 & 168 style wedge base bulbs only.
- Product not shown to scale. Gauge shown for reference only and not included with LED bulb.
- 5.66
- LED Replacement Bulb - Green
Product #
3285
For all Auto Meter gauges (except clocks, A/F Ratio, & Autogage), speedometers, and most in-dash tachometers. Does not work with Digital & LED Lit gauges (i.e. Cobalt, C2, NV, Phantom II, Sport-Comp II, Ultra-Lite II).
- Upgrade your standard instrument lighting with intense LEDs. Replaces 161, 193, 194 & 168 style wedge base bulbs only.
- Product not shown to scale. Gauge shown for reference only and not included with LED bulb.
- 8.10

3286	10	\$	11.57 \$
3287	9	\$	8.09 \$
3328	4	\$	91.47 \$
3333	1	\$	89.37 \$

LED Replacement Bulb - Blue

Product #

3286

For all Auto Meter gauges (except clocks, A/F ratio, & Autogage), speedometers, and most in-dash tachometers. Does not work with Digital & LED Lit gauges (i.e. Cobalt, C2, NV, Phantom II, Sport-Comp II, Ultra-Lite II).

Upgrade your standard instrument lighting with intense LEDs. Replaces 161, 193, 194 & 168 style wedge base bulbs only.

Product not shown to scale. Gauge shown for reference only and not included with LED bulb.

8.10

LED Replacement Bulb - Amber

Product #

3287

For all Auto Meter gauges (except clocks, A/F ratio, & Autogage), speedometers, and most in-dash tachometers. Does not work with Digital & LED Lit gauges (i.e. Cobalt, C2, NV, Phantom II, Sport-Comp II, Ultra-Lite II).

Upgrade your standard instrument lighting with intense LEDs. Replaces 161, 193, 194 & 168 style wedge base bulbs only.

Product not shown to scale. Gauge shown for reference only and not included with LED bulb.

5.66

Nitrous Pressure

Product #

3328

Size:

2 1/16" (52.4mm)

Type:

Mechanical

Range:

0-2000 PSI

Notes:

Requires #4 braided hose kit.

64.03

□

Water Temperature

Product #

3333

Size:

2 1/16" (52.4mm)

Type:

Mechanical

Range:

120 - 240 deg. F

Notes:

Includes 12 ft. tubing.

Includes 1/2" NPT adapter/fitting.

62.56

3341	2	\$	82.83 \$
3344	1	\$	167.46 \$
3363	2	\$	245.61 \$
3374	2	\$	239.10 \$

Oil Temperature

Product #
3341
Size:
2 1/16" (52.4mm)
Type:
Mechanical

Range:
140 - 280 deg. F

Notes:
Includes 6 ft. tubing.
Includes 1/2" NPT adapter/fitting.
If mounting in a steel pan, model 2261 bung in the Accessories Section is recommended.

57.98

□
Pyrometer

Product #
3344
Size:
2 1/16" (52.4mm)
Type:
Full Sweep Electric

Range:
0-1600 deg. F

Notes:
Air-Core meter movement.

117.22

□
Fuel Pressure

Product #
3363
Size:
2 1/16" (52.4mm)
Type:
Full Sweep Electric

Range:
0-100 PSI

Notes:
Full Sweep, Stepper Motor meter movement.
Includes 1/8" NPT Sender.

171.93

□
Nitrous Pressure

Product #
3374
Size:
2 1/16" (52.4mm)
Type:
Full Sweep Electric

Range:
0 - 1600 PSI

Notes:
Full Sweep, Stepper Motor meter movement.
Includes 1/8" NPT Sender.
Includes 8 ft. tubing or wiring harness.

167.37

3391	1	\$	48.61	\$
3432	1	\$	86.01	\$
3441	1	\$	87.09	\$
4144	1	\$	186.92	\$
4328	1	\$	102.73	\$

Voltmeter

Product #

3391

Size:

2 1/16" (52.4mm)

Type:

Short Sweep Electric

Range:

8-18 Volts

Notes:

Air-Core meter movement.

34.03

Water Temperature

Product #

3432

Size:

2 5/8" (66.7mm)

Type:

Mechanical

Range:

120 - 240 F

Notes:

Includes 6 ft. tubing.

Includes 1/2" NPT adapter/fitting.

60.21

Oil Temperature

Product #

3441

Size:

2 5/8" (66.7mm)

Type:

Mechanical

Range:

140 - 280 deg. F

Notes:

Includes 6 ft. tubing.

Includes 1/2" NPT adapter/fitting.

If mounting in a steel pan, model 2261 bung in the Accessories Section is recommended.

60.96

□

130.84

Nitrous Pressure

Product #

4328

Size:

2 1/16" (52.4mm)

Type:

Mechanical

Range:

0-2000 PSI

Notes:

Requires #4 braided hose kit.

71.91

□

4332	2	\$	85.00 \$
4341	4	\$	83.36 \$
4344	1	\$	169.23 \$
4353	1	\$	236.49 \$

Water Temperature

Product #
4332
Size:
2 1/16" (52.4mm)
Type:
Mechanical

Range:
120 - 240 deg. F
Notes:
Includes 6 ft. tubing.
Includes 1/2" NPT adapter/fitting.

59.50

Oil Temperature

Product #
4341
Size:
2 1/16" (52.4mm)
Type:
Mechanical

Range:
140 - 280 deg. F
Notes:
Includes 6 ft. tubing.
If mounting in a steel pan, model 2261 bung in the
Accessories Section is recommended.

58.35

Pyrometer

Product #
4344
Size:
2 1/16" (52.4mm)
Type:
Full Sweep Electric

Range:
0 -1600 deg. F
Notes:
Air-Core meter movement.
Includes Type K Thermocouple

118.46

Oil Pressure

Product #
4353
Size:
2 1/16" (52.4mm)
Type:
Full Sweep Electric

Range:
0-100 PSI
Notes:
Full Sweep, Stepper Motor meter movement.
Includes 1/8" NPT Sender.

165.54

4363	1	\$	245.39 \$
4374	1	\$	247.53 \$
4427	1	\$	88.41 \$
4431	1	\$	100.50 \$

Fuel Pressure

Product #
4363
Size:
2 1/16" (52.4mm)
Type:
Full Sweep Electric

Range:
0-100 PSI

Notes:
Full Sweep, Stepper Motor meter movement.
Includes 1/8" NPT Sender.

171.77

Nitrous Pressure

Product #
4374
Size:
2 1/16" (52.4mm)
Type:
Full Sweep Electric

Range:
0 - 1600 PSI

Notes:
Full Sweep, Stepper Motor meter movement.
Includes 1/8" NPT Sender.
Includes 8 ft. tubing or wiring harness

173.27

Oil Pressure

Product #
4427
Size:
2 5/8" (66.7mm)
Type:
Short Sweep Electric

Range:
0-100 PSI

Notes:
Includes 1/8" NPT Sender.
Air-Core meter movement.
Includes 1/4" NPT adapter/fitting.

61.89

Water Temperature

Product #
4431
Size:
2 5/8" (66.7mm)
Type:
Mechanical

Range:
140 - 280 deg. F

Notes:
Includes 6 ft. tubing.
Includes 1/2" NPT adapter/fitting.

70.35

4491	1	\$	59.00 \$
4721	1	\$	64.46 \$
4728	3	\$	112.89 \$
4741	1	\$	95.37 \$

Voltmeter

Product #

4491

Size:

2 5/8" (66.7mm)

Type:

Short Sweep Electric

Range:

8-18 Volts

Notes:

Air-Core meter movement.

41.30

Oil Pressure

Product #

4721

Size:

2 1/16" (52.4mm)

Type:

Mechanical

Range:

0 - 100 PSI

Notes:

Includes 10 ft. nylon tubing with 1/8" NPT fittings.

Includes 1/4" NPT adapter/fitting.

45.12

Nitrous Pressure

Product #

4728

Size:

2 1/16" (52.4mm)

Type:

Mechanical

Range:

0-2000 PSI

Notes:

Requires #4 braided hose kit.

79.02

Oil Temperature

Product #

4741

Size:

2 1/16" (52.4mm)

Type:

Mechanical

Range:

140 - 280 deg. F

Notes:

Includes 6 ft. tubing.

Includes 1/2" NPT adapter/fitting.

If mounting in a steel pan, model 2261 bung in the Accessories Section is recommended.

66.76

4757	1	\$	65.67	\$
4763	1	\$	259.23	\$
4774	1	\$	253.89	\$

Transmission Temperature

Product #
4757
Size:
2 1/16" (52.4mm)
Type:
Short Sweep Electric

Range:
100 - 250 deg. F

Notes:
Includes 1/8" NPT Sender.
Air-Core meter movement.
Includes 3/8" NPT adapter/fitting.
Includes 1/2" NPT adapter/fitting.
If mounting temperature sender in a steel fluid pan,
use Auto Meter #2260 weld-in boss (Click [HERE](#)).

45.97

Fuel Pressure

Product #
4763
Size:
2 1/16" (52.4mm)
Type:
Full Sweep Electric

Range:
0-100 PSI

Notes:
Full Sweep, Stepper Motor meter movement.
Includes 1/8" NPT Sender

181.46

Nitrous Pressure

Product #
4774
Size:
2 1/16" (52.4mm)
Type:
Full Sweep Electric

Range:
0 - 1600 PSI

Notes:
Full Sweep, Stepper Motor meter movement.
Includes 1/8" NPT Sender.
Includes 8 ft. tubing or wiring harness

177.72

4777	1	\$	234.14	\$
4848	1	\$	78.79	\$
5251	1	\$	78.80	\$
5357	1	\$	35.34	\$
5366	1	\$	35.34	\$

Vacuum / Boost
w/ Peak Memory and Warning
Product #
4777
Size:
2 1/16" (52.4mm)
Type:
Full Sweep Electric

Range:
30 In Hg.-Vac./30 PSI
Notes:
Full Sweep, Stepper Motor meter movement.
Includes 8 ft. tubing or wiring harness.
Includes MAP sensor.
Includes T-fitting.
Peak recall/memory
User Programmable Warning Function

163.90

Oil Temperature

Product #
4848
Size:
2 5/8" (66.7mm)
Type:
Short Sweep Electric

Range:
300° F
Notes:
Includes 1/8" NPT Sender.
Air-Core meter movement.
Includes 3/8" NPT adapter/fitting.
Includes 1/2" NPT adapter/fitting.
If mounting temperature sender in a steel fluid pan,
use Auto Meter #2260 weld-in boss (Click [HERE](#)).

55.15

Replacement Probe & Harness Assy. for Full Sweep
Elec. Stepper Pyrometer

Product #
5251
For use with Auto Meter Cobalt, C2, ES, GS, NV,
Sport-Comp II, Phantom II, & Ultra-Lite II Pyrometer
gauges as well as Sport-Comp Digital, Ultra-Lite
Digital, & Cobalt Digital EGT gauges.

55.16

7,000 RPM
Product #
5357
For use with discontinued RPM Activated Switch
#5310 and Pro Shift Lites #5340, 5341, and 5342.

24.74

5,600 RPM
Product #
5366
For use with discontinued RPM Activated Switch
#5310 and Pro Shift Lites #5340, 5341, and 5342.

24.74

5776	1	\$	208.97	\$
5784	1	\$	61.60	\$
5810	1	\$	61.94	\$

Vacuum / Boost
w/ Peak Memory and Warning
Product #
5776
Size:
2 1/16" (52.4mm)
Type:
Full Sweep Electric

Range:
Boost 30 In Hg.-Vac./15 PSI
Notes:
Full Sweep, Stepper Motor meter movement.
Includes 8 ft. tubing or wiring harness.
Includes MAP sensor.
Includes T-fitting.
Peak recall/memory
User Programmable Warning Function

146.28

Vacuum

Product #
5784
Size:
2 1/16" (52.4mm)
Type:
Mechanical

Range:
30 in. HG.
Notes:
Includes 6 ft. tubing.
Includes T-fitting.

43.12

Fuel Pressure

Product #
5810
Size:
2 5/8" (66.7mm)
Type:
Mechanical

Range:
0-15 PSI
Notes:
Requires #4 braided hose and mounting cup. Must be
mounted outside vehicle.

43.36

5841	1	\$	96.27	\$
5847	1	\$	65.50	\$
5892	1	\$	113.27	\$

Oil Temperature

Product #
5841
Size:
2 5/8" (66.7mm)
Type:
Mechanical

Range:
140 - 280 deg. F

Notes:
Includes 6 ft. tubing.
Includes 1/2" NPT adapter/fitting.
If mounting in a steel pan, model 2261 bung in the Accessories Section is recommended.

67.39

Product #
5847
Size:
2 5/8" (66.7mm)
Type:
Short Sweep Electric

Range:
100 - 250 deg. F

Notes:
Includes 1/8" NPT Sender.
Air-Core meter movement.
Includes 3/8" NPT adapter/fitting.
Includes 1/2" NPT adapter/fitting.
If mounting temperature sender in a steel fluid pan, use Auto Meter #2260 weld-in boss (Click [HERE](#)).

45.85

Speedometer
Mechanical
Product #
5892
Size:
3 3/8" (85.7mm)
Type:
In-Dash Tachs & Speedos

Range:
120 MPH

Notes:
Resettable Trip odometer.
Includes 5/8" - 18 threaded cable input with .104" square drive. Speedometer cable not included.

79.29

6159	1	\$	199.89	\$
6391	1	\$	110.22	\$
6993	1	\$	89.99	\$

Vacuum / Boost

Product #
6159
Size:
2 1/16" (52.4mm)
Type:
Full Sweep Electric

Range:
30 In Hg.-Vac./30 PSI

Notes:
Full Sweep, Stepper Motor meter movement.
Includes 8 ft. tubing or wiring harness.
Includes MAP sensor.
Includes T-fitting.

139.92

□
Voltmeter

Product #
6391
Size:
2 1/16" (52.4mm)
Type:
Digital

Range:
8 - 19 Volts

Notes:
Includes 4 ft. tubing or wiring harness.
LED digital display.

77.15

□
Voltmeter

Product #
6993
Size:
2 1/16" (52.4mm)
Type:
Digital

Range:
8-18 Volts

Notes:
Includes 4 ft. tubing or wiring harness.
LED digital display.

62.99

□

7153	1	\$	199.89	\$
7163	1	\$	199.89	\$
10105	3	\$	23.56	\$
15110	3	\$	30.26	\$
20416	4	\$	25.86	\$
20432	1	\$	28.74	\$

Oil Pressure

Product #
7153
Size:
2 1/16" (52.4mm)
Type:
Full Sweep Electric

Range:
0 - 100 PSI

Notes:
Includes 1/8" NPT Sender.
Includes 8 ft. tubing or wiring harness.
Includes 1/4" NPT adapter/fitting.

139.92

Fuel Pressure

Product #
7163
Size:
2 1/16" (52.4mm)
Type:
Full Sweep Electric

Range:
0 - 100 PSI

Notes:
Full Sweep, Stepper Motor meter movement.
Includes 1/8" NPT Sender.

139.92

Dual Pod (Black)

Product #
10105
Application(s):
2000-2001 Ford Focus

16.49

Dual Pod (Black)

Product #
15110
Application(s):
1995-2002 GMC Jimmy

1995-2002 Chevrolet Blazer

1994-2002 Chevrolet S10 Pickup

21.18

Single Pod (Black)

Product #
20416
Application(s):
1992-1995 Honda Civic 2 Dr / HB

18.10

Single Pod (Clear Gray)

Product #
20432
Application(s):
1996-2000 Honda Civic 2 Dr / HB

20.12

20434	1	\$	25.86	\$
20618	2	\$	30.26	\$
20656	2	\$	30.26	\$
20663	2	\$	23.56	\$
20674	1	\$	30.26	\$
20809	1	\$	23.56	\$
20853	1	\$	23.56	\$
23431	2	\$	22.68	\$
23902	1	\$	30.26	\$
48000	2	\$	33.58	\$

Single Pod (Black)
Product #
20434
Application(s):
1996-2000 Honda Civic 2 Dr / HB
18.10

Dual Pod (Black)
Product #
20618
Application(s):
2003-2005 Mitsubishi EVO 8
21.18 □

Dual Pod (Black)
Product #
20656
Application(s):
2000-2004 Mazda Protégé
21.18

Single Pod (Black)
Product #
20663
Application(s):
1999-2004 Mazda Miata
16.49

Dual Pod (Black)
Product #
20674
Application(s):
1993-1995 Mazda RX-7
21.18

Single Pod (Black)
Product #
20809
Application(s):
2003-2004 Nissan 350Z
16.49

Single Pod (Black)
Product #
20853
Application(s):
1999-2000 Volkswagen Golf
16.49

Single Pod (Black) RHD
Product #
23431
Application(s):
1996-2000 Honda Civic
15.88

Dual Pod (Black) RHD
Product #
23902
Application(s):
1995-1998 Nissan 240SX
21.18

For 2 1/16" Auto Meter Gauges
23.51

3341-M	1	\$ 83.63 \$
4363-M	1	\$ 245.39 \$

Oil Temperature
Metric
Product #
3341-M
Size:
2 1/16" (52.4mm)
Type:
Mechanical

Range:
60 - 140 deg. C

Notes:
Includes 6 ft. tubing.
Includes 1/2" NPT adapter/fitting.
If mounting in a steel pan, model 2261 bung in the
58.54 Accessories Section is recommended.

Fuel Pressure

Product #
4363-M
Size:
2 1/16" (52.4mm)
Type:
Full Sweep Electric

Range:
0 - 7 Bar

Notes:
Full Sweep, Stepper Motor meter movement.
171.77 Includes 1/8" NPT Sender.